

THE INFORMATION CONTAINED IN THIS DOCUMENT IS PROPRIETARY TO JEN JIA PRECISION TECHNOLOGY CO.,LTD, ANY REPRODUCTION IN PART OR WHOLE WITHOUT PRIOR WRITTEN APPROVAL OR AUTHORIZATION OF JEN JIA PRECISION TECHNOLOGY CO.,LTD IS STRICTLY PROHIBITED.


RoHS COMPLIANT

REVISIONS				
REV	ECN NO.	DESCRIPTION	APPROVED BY	DATE
1		PROPOSAL DRAWING	Helly Luo	2014-08-12

NOTES:
 Current Rating: 3.0AMP
 Contact Resistance:30mΩ max
 Withstand Voltage:1000V AC/DC
 Insulation Resistance:1000MΩ
 Operation Temperature:-55°C~+105°C


Contact Material: Brass
 Contact Plating: Au and Sn over Ni
 Fixing Material: Phosphor Bronze
 Fixing Plating: Sn over Ni
 Insulation Material: PBT+30% G.F(UL94V-0)

Recommended P.C.B Layout(Top Side)
 (PCB BOARD TOLERANCE±0.05)



J2084-3 XX X MS SX X A X

No. of pins	Rows With Contacts	Contact Plating	Packing	DIP Length
10pin	A=a+b+c	S0=Gold Flash/TIN	A=Tray	1:L=2.50
16pin	B=a+b	S1=3u"Gold/Tin		2:L=3.00
32pin	C=a+c	S3=10u"Gold/Tin	W=With Lock	3:L=4.00
	D=a	S4=15u"Gold/Tin	N=Without Lock	4:L=4.57
		S5=30u"Gold/Tin		
		SN=Tin		



DO NOT SCALE DRAWING

TYPE	POS.	ROWS	N	DIM.A	DIM.B	DIM.C	DIM.D
R	96	3	32	95.00	78.74	85.20	90.00
R/2	48	3	16	54.40	38.10	44.60	50.00
R/3	30	3	10	39.16	22.86	29.30	34.76

JJP Jen Jia Precision Technology Co., Ltd.

TITLE: 2.54PITCH DIN 41612 Male 180° DIP(R-Type)

PART NO. J2084-3XXXMSSXXAX APPROVED BY JASON MENG

DRAWING NO. J2084-3XXXMSSXXAX CHECKED BY STEVEN LIU

MATERIAL: DRAWN BY Helly Luo

FINISH: GENERATD DATE 2014-08-12

SCALE: FREE SHEET: 1/1 REV: 1 SIZE: A4

CAD GENERATED DRAWING, DO NOT MANUALLY UPDATE

THIRD ANGLE PROJECTION

FILE NO.:JJP-A-05-003